

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	1	"6369455".pn.	US-PGPUB; USPAT
2	BRS	L2	1	"5552635".pn.	US-PGPUB; USPAT
3	BRS	L3	538	257/675.ccls.	US-PGPUB; USPAT
4	BRS	L4	1081	257/706.ccls.	US-PGPUB; USPAT
5	BRS	L5	437	257/796.ccls.	US-PGPUB; USPAT
6	BRS	L6	355	L5 and (resin or encapsulant or mold)	US-PGPUB; USPAT
7	BRS	L7	401	L3 and (resin or encapsulant or mold)	US-PGPUB; USPAT
8	BRS	L8	583	L4 and (resin or encapsulant or mold)	US-PGPUB; USPAT
9	BRS	L9	27	L6 and (conductive adj epoxy)	US-PGPUB; USPAT
10	BRS	L10	36	L7 and (conductive adj epoxy)	US-PGPUB; USPAT
11	BRS	L11	46	L8 and (conductive adj epoxy)	US-PGPUB; USPAT

	Type	L #	Hits	Search Text	DBs
12	BRS	L12	9	L9 and watts	US-PGPUB; USPAT
13	BRS	L13	9	L10 and watts	US-PGPUB; USPAT
14	BRS	L14	12	L11 and watts	US-PGPUB; USPAT
15	BRS	L15	140	L6 and (resin with epoxy)	US-PGPUB; USPAT
16	BRS	L16	11	L15 and (conductive adj epoxy)	US-PGPUB; USPAT
17	BRS	L17	0	L8 and (theramally adj conduuctive)	US-PGPUB; USPAT
18	BRS	L18	0	L8 and (thermally adj conduuctive)	US-PGPUB; USPAT
19	BRS	L19	228	L8 and (thermally adj conductive)	US-PGPUB; USPAT
20	BRS	L20	49	L19 and (resin with conductive)	US-PGPUB; USPAT
21	BRS	L21	4	L20 and (singulation or scribe)	US-PGPUB; USPAT
22	BRS	L22	21	L5 and (singulation or scribe)	US-PGPUB; USPAT
23	BRS	L23	24	257/706.ccls.	EPO; JPO

	Type	L #	Hits	Search Text	DBs
24	BRS	L24	6	257/707.ccls.	EPO; JPO
25	BRS	L25	65	257/787.ccls.	EPO; JPO
26	BRS	L26	84	257/712.ccls.	EPO; JPO
27	BRS	L27	36	257/713.ccls.	EPO; JPO